

## Ceník betonů a betonových směsí

Platnost od 25. 03. 2024

Č. R.	SMĚS	CENA bez DPH (CZK)
1	SC 12/15 KSC I - [S1]	2396
2	SC 8/10 KSC II - [S1]	2330
3	CT 7 F2 MC7 - [S1]	2572
4	CT 10 F3 MC10 - [S1]	2642
6	CT 16 F4 MC15 - [S1]	2761
7	CT 20 F4 MC20 - [S1]	2869
8	CT 25 F5 MC25 - [S1]	3033
9	CT 30 F6 MC30 - [S1]	3179
10	C 20/25 - X0, XC1-2 - [S4] - (Dmax 22)	2996
11	C 25/30 - X0, XC1-3 - [S4] - (Dmax 22)	3063
12	C 25/30 - X0, XC1-4, XA1-2, XF1, XD1-2 - [S4] - (Dmax 22)	3243
13	C 30/37 - X0, XC1-4, XD1-2, XF1 XA1-2 - [S4] - (Dmax 22)	3299
14	C 35/45 - X0, XC1-4, XD1-3, XA1-3, XF1 - [S4] - (Dmax 22)	3494
15	C 25/30 - X0, XC1-3, XD1-2, XF1-3, XA1-2 - [S4] - (Dmax 22)	3393
16	C 30/37 - X0, XC1-4, XD1-3, XF1-4, XA1-3 - [S4] - (Dmax 22)	3572
17	C 35/45 - X0, XC1-4, XD1-3, XF1-4, XA1-3 - [S4] - (Dmax 22)	3796
19	C 8/10 - X0 - [S4] - (Dmax 22)	2560
20	C 12/15 - X0 - [S4] - (Dmax 22)	2619
21	C 16/20 - X0 - [S4] - (Dmax 22)	2804
23	C 25/30 - X0 - [S4] - (Dmax 22)	3010
26	SC 5/6 KSC III - [S1]	2273
27	C 8/10 - X0 - [S3] - (Dmax 8)	2699
28	C 12/15 - X0 - [S3] - (Dmax 8)	2812
29	C 16/20 - X0 - [S3] - (Dmax 8)	2997
30	C 20/25 - X0 - [S3] - (Dmax 8)	3087
31	C 25/30 - X0 - [S3] - (Dmax 8)	3230
32	C 30/37 - X0 - [S3] - (Dmax 8)	3449
33	C 8/10 - X0 - [S4] - (Dmax 8)	2727
34	C 12/15 - X0 - [S4] - (Dmax 8)	2851
35	C 16/20 - X0 - [S4] - (Dmax 8)	3027
36	C 20/25 - X0 - [S4] - (Dmax 8)	3140
37	C 25/30 - X0 - [S4] - (Dmax 8)	3284
38	C 30/37 - X0 - [S4] - (Dmax 8)	3500
39	C 8/10 - X0 - [S1] - (Dmax 8)	2596
40	C 12/15 - X0 - [S1] - (Dmax 8)	2709
41	C 16/20 - X0 - [S1] - (Dmax 8)	2873
42	C 20/25 - X0 - [S1] - (Dmax 8)	2970
43	C 25/30 - X0 - [S1] - (Dmax 8)	3055
44	C 8/10 - X0 - [S3] - (Dmax 16)	2561
45	C 12/15 - X0 - [S3] - (Dmax 16)	2688
46	C 16/20 - X0 - [S3] - (Dmax 16)	2852
47	C 20/25 - X0 - [S3] - (Dmax 16)	3004
48	C 25/30 - X0 - [S3] - (Dmax 16)	3081



49	C 30/37 - X0 - [S3] - (Dmax 16)	3328
50	C 8/10 - X0 - [S4] - (Dmax 16)	2588
51	C 12/15 - X0 - [S4] - (Dmax 16)	2706
52	C 16/20 - X0 - [S4] - (Dmax 16)	2866
53	C 20/25 - X0 - [S4] - (Dmax 16)	3046
54	C 25/30 - X0 - [S4] - (Dmax 16)	3112
55	C 30/37 - X0 - [S4] - (Dmax 16)	3346
56	C 30/37 - XC1-4,XD1-3,XA1,XF2-4 - [S3] - (Dmax 16)	3601
58	C 30/37 - XM2 - [S3] - (Dmax 22)	3382
59	MCB - [S1]	2540
60	C 20/25 - XC1 - [S4] - (Dmax 16)	3013
61	C 25/30 - XC1-3 - [S4] - (Dmax 16)	3104
62	C 25/30 - XA1-2,XF1,XD 1-2 - [S4] - (Dmax 16)	3272
63	C 30/37 - XC1-4,XD1-2,XF1,XA1-2 - [S4] - (Dmax 16)	3376
64	C 35/45 - XC1-4,XD1-3,XA1-3,XF1 - [S4] - (Dmax 16)	3525
65	C 20/25 - XC1 - [S4] - (Dmax 8)	3125
66	C 25/30 - XC1-3 - [S4] - (Dmax 8)	3240
67	C 25/30 - XA1-2,XF1,XD1-2 - [S4] - (Dmax 8)	3375
68	C 30/37 - XC1-4,XD1-2,XF1,XA1-2 - [S4] - (Dmax 8)	3470
69	C 35/45 - XC1-4,XD1-3,XA1-3,XF1 - [S4] - (Dmax 8)	3607
70	C 30/37 - X0-XC1-3 podlahové - [S4] - (Dmax 16)	3476
71	C 20/25 - X0-XC2 podlahové - [S4] - (Dmax 16)	3275
72	C 20/25 - X0-XC1-2 podlahové - [S4] - (Dmax 16)	3196
73	C 25/30 - X0-XC1-3 podlahové - [S4] - (Dmax 16)	3369
74	C 20/25 - X0-XC2 podlahové - [S4] - (Dmax 22)	3261
75	C 20/25 - X0-XC1-2 podlahové - [S4] - (Dmax 22)	3172
76	C 25/30 - X0-XC1-3 podlahové - [S4] - (Dmax 22)	3354
77	C 30/37 - X0-XC1-3 podlahové - [S4] - (Dmax 22)	3457
79	CT 7 F2 MC7 - [S3]	2701
80	CT 10 F3 MC10 - [S3]	2828
81	CT 15 F4 MC15 - [S3]	2972
82	CT 20 F5 MC20 - [S3]	3097
83	CT 25 F5 MC25 - [S3]	3188
84	CT 30 F5 MC30 - [S3]	3322
85	MLB 2,5 - Liapor - [S1] - (Dmax 4)	4324
86	C 30/37 - XA3 - [S4] - (Dmax 22)	3469
87	CT 30 F6 MC30 - [S3]	3297
91	C 20/25n - XF1-3 nekonstrukční - [S1] - (Dmax 4)	3287
90	C 30/37 - X0 - [S4] - (Dmax 22)	3248
92	C 20/25n - XF3-4 nekonstrukční - [S1] - (Dmax 4)	3360
9050	C 8/10 - X0 - [S4] - (Dmax 16)	2154
9051	C 12/15 - X0 - [S4] - (Dmax 16)	2284
9052	C 16/20 - X0 - [S4] - (Dmax 16)	2403
9053	C 20/25 - X0 - [S4] - (Dmax 16)	2522
9054	C 25/30 - X0 - [S4] - (Dmax 16)	2655
9019	C 8/10 - X0 - [S4] - (Dmax 22)	2169
9020	C 12/15 - X0 - [S4] - (Dmax 22)	2364
9021	C 16/20 - X0 - [S4] - (Dmax 22)	2458
9010	C 20/25 - X0 - [S4] - (Dmax 22)	2582

9023	C 25/30 - X0 - [S4] - (Dmax 22)	2685
9090	C 30/37 - X0 - [S4] - (Dmax 22)	2851
9901	C 25/30 - X0, XC1-4, XA1-2, XF1, XD1-2 - [S4] - (Dmax16)	2863
9055	C 30/37 - X0 - [S4] - (Dmax 16)	2775
9014	C 35/45 - X0 - [S4] - (Dmax 22)	3058
9064	C 35/45 - X0 - [S4] - (Dmax 16)	2955
95	C 20/25 - X0, XC1-2 - duplex - [S4] - (Dmax 22)	2890
93	C 35/45 XA3 - [S5]	3846
94	C 35/45 XA3 (injektáž) - [S4]	3787
96	C 40/50 - XF1-2, XD1 - [S4] - (Dmax22)	3952
97	C 20/25n XF4 - [S1]	3360

Schválila:

**Ing. Šárka Bukovská**

Předsedkyně představenstva

HERKUL a.s.

